

INDEX OF PAPERS
TO BIULETYN PERYGLACJALNY, NOS 25–39

prepared by Leopold Dutkiewicz

- ÅHMAN, R.: The structure and morphology of minerogenic palsas in Norway (2 fig., 6 phot.). No. **26**, 1976; p. 25–31.
- ÅHMAN, R., SEPPÄLÄ, M., SVENSSON, H.: Periglacial excursion in Northern Finland and Norway, 1–8 September 1979 (2 fig., 9 phot.). No. **29**, 1982; p. 261–273.
- ALEXANDROWICZ, S. W.: Molluscan assemblages from a loess profile at Odonów (Małopolska Upland) (2 fig.). No. **31**, 1986; p. 7–115.
- ALEXANDROWICZ, S. W.: Malacofauna of the Eemian interglacial in Kochanów (Malakofauna Interglacjału Eemskiego w Kochanowie (Środkowa Polska) (3 fig., 1 tab.). No. **36**, 1997; p. 11–28.
- ALEXANDROWICZ, S. W., ALEXANDROWICZ, W. P.: Molluscan fauna of the Upper Vistulian and Early Holocene sediments of South Poland (8 fig.). No. **34**, 1995; p. 5–19.
- ALEXANDROWICZ, W. P.: see ALEXANDROWICZ, S. W., ALEXANDROWICZ, W. P.: No. **34**, 1995; p. 5–19.
- ANDERSON, D.: Department of the Army Cold Regions Research and Engineering Laboratory. No. **26**, 1976; p. 148–152.
- ANTCZAK-GÓRKA, B.: Wind-faceted stones within the maximum limit of the last ice sheet in southern Wielkopolska and the periglacial phenomena concurrent with them (1 fig., 2 phot., 6 tab.). No. **38**, 1999; p. 63–72.
- ARKHANGELOV, A.: Les fentes de gel expérimentales (2 fig., 8 phot.). No. **30**, 1986; p. 5–14.
- Asahina, E.: Hokkaido University, the Institute of Low Temperature Science. No. **26**, 1976; p. 134–136.
- BALL, D. F.: Close-packed patterned arrangement of stones and shells on shore-line platforms (2 phot.). No. **25**, 1976; p. 5–7.
- BALLANTYNE, K.: Nonsorted patterned ground on mountains in the Northern Highlands of Scotland (10 fig., 8 phot., 1 tab.). No. **30**, 1986; p. 15–34.

- BALLANTYNE, K.: The hydrologic significance of nivation features in permafrost areas. (2 fig., 2 phot.). No. **27**, 1978; p. 5–10.
- BALWIERZ, Z.: Vegetation of Upper Vistulian cold phases in Central Poland (6 fig., 1 tab.). No. **34**, 1995; p. 21–36.
- BASTIN, B., see Pissart, A., Bastin, B., Juvigne, E.: No. **28**, 1981; p. 333–339.
- BAUMGART-KOTARBA, M., KOTARBA, A.: High mountain environment of Tatras in the period of Pleistocene and Holocene transition (5 fig.). No. **34**, 1995; p. 37–51.
- BERDNIKOV, V. V.: Late Pleistocene permafrost phenomena in the European part of the USSR and their significance for paleoclimatic reconstructions (3 fig.). No. **30**, 1986; p. 35–43.
- BERTOUILLE, H.: Théorie nouvelle de la formation des doublets des limons. No. **27**, 1978; p. 11–22.
- BOARDMAN, J.: Grèzes litées near Keswick, Cumbria. (5 fig., 2 tab.). No. **27**, 1978; p. 23–34.
- BOUT, P.: Action du gel intense sur les basaltes. (7 phot.). No. **29**, 1982; p. 5–11.
- BOUT, P.: Des cicatrices de pingos en Devès (Haute-Loire), France (2 fig., 5 phot.). No. **31**, 1986; p. 17–26.
- BROCHU, M.: Disposition des fragments rocheux dans les dépôts de solifluxion, dans les éboulis de gravité et dans les dépôts fluviaux. (3 tab.). No. **27**, 1978; p. 35–51.
- BROCHU, M.: Proposition pour une définition de base synthétique et à fondement numérique de zone à périglaciaire actuel et fossile et de phénomène périglaciaire, No. **31**, 1986; p. 27–30.
- BROSCHKE, K.-U.: Ergebnisse einer vergleichenden Studie zum rezenten und vorzeitlichen periglazialen Formenschatz auf der Iberischen Halbinsel. (4 fig., 16 phot., 1 tab.). No. **27**, 1978; p. 53–103.
- BROSCHKE, K.-U.: Pleistozäne Periglazialstrukturen in den Ebroterrassen bei Zaragoza (5 phot.). No. **30**, 1986; p. 45–56.
- BROWN, R. J. E., KUPSCH, W. O.: Permafrost terminology. No. **32**, 1992; p. 9–176.
- BUNTING, B. T.: see GRUBB, A. M. and BUNTING, B. T.: No. **26**, 1976; p. 237–252.
- BURACZYŃSKI, J.: Development of eolian processes during the pleni- and late Vistulian in the southeastern Poland (7 fig.). No. **37**, 1998; p. 7–17.
- CAILLEUX, A.: see Gangloff, P. et Cailleux, A.: No. **26**, 1976; p. 223–235.
- CHATTOPADHYAY, G. P.: Ploughing block movements on the Drumochter Hills in the Grampian Highlands, Scotland (1 tab.). No. **30**, 1986; p. 57–60.

- CLARK, R.: Cold climate features of the Cordillera Cantabrica, northern Spain. (2 fig.). No. **28**, 1981; p. 5–13.
- CLARK, R.: Further consideration of Falkland Islands periglacial landscape (2 fig., 1 phot.). No. **26**, 1976; p. 167–174.
- CLARKE, J. V.: see Vincent, P. J., Clarke, J. V.: No. **29**, 1982; p. 147–149.
- Corte, A. E.: Rock glaciers (1 fig., 9 phot., 2 tab.). No. **26**, 1976; p. 175–197.
- CORTE, A. E.: Delimitation of geocryogenic (periglacial) regions and associated geomorphic belts at 33° S.L. Andes of Mendoza, Argentina (1 fig.). No. **31**, 1986; p. 31–34.
- Corte, A. E.: see GONZALES, M. A., CORTE, A. E.: No. **25**, 1976; p. 23–33.
- COUTARD, J.-P.: see LAUTRIDOU, J.-P., OZOUF, J.-C., VAN VLIET-LANOË, B., COUTARD, J.-P.: No. **31**, 1986; p. 183–198.
- COUTARD, J.-P., LAUTRIDOU, J.-P., OZOUF, J. C.: La contribution des expériences en laboratoire aux recherches sur le périglaciaire: histoire, acquis et perspectives (4 fig.). No. **39**, 2000; p. 7–40.
- COUTARD, J. P., VAN VLIET-LANOË, B.: Cryoexpulsion et cryoreptation en milieu limono-argileux. Expérimentation en laboratoire (6 fig., 9 phot., 4 tab.). No. **33**, 1994; p. 5–20.
- Crampton, C. B.: Patterned ground in the Maritimes, Canada (1 fig., 3 phot.). No. **26**, 1976; p. 199–204.
- CRAMPTON, C. B.: Analysis of synergistic systems for evaluating terrain sensitivity to disturbance of icy permafrost in the Mackenzie River valley, Canada. (2 fig., 1 phot., 5 tab.). No. **28**, 1981; p. 15–31.
- CZUDEK, T.: Some problems of valley development in Pleistocene deposits of northern Moravia (Czechoslovakia) (6 fig.). No. **31**, 1986; p. 35–45.
- DĄBSKI, M., GRYLEWICZ, E.: Selected forms of frost sorting in the marginal zone of Flajajokull (Iceland) (2 fig., 10 phot.). No. **37**, 1998; p. 19–34.
- DE MOOR, G.: Periglacial deposits and sedimentary structures in the Upper Pleistocene infilling of the Flemish Valley (N. W. Belgium) (1 fig.). No. **28**, 1981; p. 277–290.
- DE MOOR, G.: Pillar channels, syngenetic periglacial structure in Pleistocene coarse terrace deposits. No. **29**, 1982; p. 213–218.
- DERRUAU, M.: Morphologie périglaciaire des affleurements volcaniques (2 fig., 9 phot.). No. **31**, 1986; p. 47–62.
- DEWOLF, Y.: Les cellules géométriques du causse Méjean (Lozère, France). Polygones, cercles de pierres, ostioles. Héritage et actualisme (4 fig.). No. **33**, 1994; p. 21–27.
- DOBIŃSKI, W.: Distribution of mountain permafrost in the high Tatra Mts, based on freezing and thawing indices (Rozmieszczenie zmarzliny w Tatrach Wysokich w oparciu o wskaźniki tajania i zamrozu) (4 fig., 2 tab.). No. **36**, 1997; p. 29–45.

- DOBIŃSKI, W.: see FRENCH, H. M., DOBIŃSKI, W.: No. 37, 1998; p. 45–60.
- DOBIŃSKI W.: see FRENCH, H. M., DOBIŃSKI W.: No. 37, 1998; p. 61–68.
- Donnay, J. *et al.*: Observations sur photos aériennes de structures périglaciaires en Ardenne centrale (1 fig, 1 phot), No. 26, 1976; p. 205–209.
- DRESCH, J.: Paléogéographie et action anthropique dans les Vosges méridionales (France) (1 fig.). No. 31, 1986; p. 63–70.
- DUTKIEWICZ, L.: Preliminary results of investigations on some periglacial phenomena on King George Island, South Shetlands 8 fig., 8 phot). No. 29, 1982; p. 13–23.
- DUTKIEWICZ, L. (rev): *J. Ross Mackay*: Pingos of the Tuktoyaktuk Peninsula Area, Northwest Territories, No. 29, 1982; p. 277–278.
- DUTKIEWICZ, L.: see FRENCH, H. M. and DUTKIEWICZ, L.: (5 fig., 8 phot., 1 tab.). No. 26, 1976; p. 211–222.
- DWUCET, K.: see ŚNIESZKO, Z., DWUCET, K.: No. 34, 1995; p. 191–208.
- DWUCET, K., ŚNIESZKO, Z.: Neopleistocene loess cover evolution. An example from the Odonów sedimentary succession (southern Poland) (Ewolucja neoplejstoczeńskiej pokrywy lessowej na przykładzie zmian w profilu Odonów (południowa Polska) (12 fig. 8 phot.). No. 35, 1996; p. 7–44.
- DYLIKOWA, A.: Editorial. No. 32, 1992; p. 7.
- DYLIKOWA, A. (rev.): *A. Jahn*: Problems of the periglacial zone. No. 27, 1978; p. 183–185.
- DYLIKOWA, A. (rev): *A. L. Washburn*: Geocryology. A survey of periglacial processes and environments. No. 29, 1982; p. 281–282.
- DYLIKOWA, A. (rev.): *H. M. French*: The periglacial environment. No. 27, 1978; p. 180–182.
- DYLIKOWA, A. et PISSART, A.: Hommage à René Raynal (5 phot.). No. 36, 1997; p. I–V.
- DYLIKOWA, A., SĄDEŁOWSKA, A. (rev.): *C. Embleton, C. A. M. King*: Glacial Geomorphology (vol. I), Periglacial Geomorphology (vol. II). No. 27, 1978; p. 179–180.
- EVANS, R.: Observations on a stripe pattern (3 fig., 1 phot.). No. 25, 1976; p. 9–22.
- FLAGEOLLET, J. C.: see VAN VLIET-LANOË, B., FLAGEOLLET, J. C.: No. 28, 1981; p. 209–219.
- Fossil frost- and ice wedges. No. 27, 1978; p. 171–177.
- FRANCOU, B.: Les chutes de pierres sur les éboulis recouverts de neige. Contribution à l'étude d'un mécanisme (10 fig., 1 tab.). No. 33, 1994; p. 29–48.
- FRENCH, H. M.: Current field measurements concerning the nature and rate of periglacial processes, (...). No 25, 1976; p. 79–91.

- FRENCH, H. M.: From heroic expeditions to modern field programs in periglacial environments. No. **38**, 1999; p. 13–21.
- FRENCH, H. M.: Permafrost, real estate, and climate change: the case of Thompson, Northern Manitoba, Canada (4 fig., 3 phot.). No. **37**, 1998; p. 35–44.
- FRENCH, H. M., DOBIŃSKI, W.: Permafrost advances at Yellowknife, Canada: Report of the Seventh International Conference on Permafrost (1 fig., 6 phot.). No. **37**, 1998; p. 45–60.
- FRENCH, H. M., DOBIŃSKI, W.: Postęp w badaniach nad zmarzliną: Raport z VII Międzynarodowej Konferencji Zmarzlinoznawstwa, Yellowknife, Kanada. No. **37**, 1998; p. 61–68.
- FRENCH, H. M. and DUTKIEWICZ, L.: Pingos and pingo-like forms, Banks Island Western Canadian Arctic (5 fig., 8 phot., 1 tab.). No. **26**, 1976; p. 211–222.
- FRENCH, H. M., LAUTRIDOU, J.-P.: The IGU Periglacial Commission and its role from 1980 until 1996 (? phot.). No. **39**, 2000; p. 41–52.
- FRENCH, H. M., and LEWKOWICZ, A. G.: Periglacial slope wash investigations, Banks Island, western Arctic (5 figs, 4 phot. 4 tab.). No. **28**, 1981; p. 33–45.
- GANGLOFF, P.: Signification paléoclimatique des formes périglaciaires reliques du Québec Méridional (1 fig., 4 phot., 1 tab.). No. **28**, 1981; p. 187–196.
- GANGLOFF, P. et CAILLEUX, A.: Indices possibles de pergélisol discontinu (4 fig., 6 phot., 1 tab.). No. **26**, 1976; p. 233–235.
- GAWRYSIAK, L., ZAGÓRSKI, P.: Stages of erosion-denudation valley development in Late Glacial and Holocene with the dry valley in the Bondyrz region (Tomaszów, Roztocze) as an example (4 fig., 4 phot.). No. **37**, 1998; p. 69–79.
- GEERAERTS, R.: Carrière Point du Jour à Tongrinnes: influence de phénomènes périglaciaires sur l'aimantation rémanente. No. **28**, 1981; p. 325–326.
- GĘBICA, P.: see STARKEL, L., GĘBICA, P.: No. **34**, 1995; p. 177–190.
- GĘBICA, P., SZCZEPANEK, K., PAZDUR, A., SAŃKO, A. F.: Vistulian terrace with loess cover in the Vistula valley near Nowe Brzesko (Southern Poland) (fig. 6). No. **37**, 1998; p. 81–99.
- GIRESE, P.: see LAUTRIDOU, J.-P. GIRESE, P.: No. **28**, 1981; p. 149–161.
- GOLD, L. W.: National Research Council of Canada, Division of Building Research. No. **26**, 1976; p. 138–145.
- GONZALES, M. A., CORTE, A. E.: Pleistocene geocryogenic structures at 38° S.L., 60° W. and 200 m above sea level, Gonzalez Chvez, Buenos Aires province, Argentina (4 fig., 1 tab.). No. **25**, 1976; p. 23–33.

- GOUDIE, S., and PIGGOTT, N. R.: Quarzite tors, stone stripes and slopes at the Stiperstones, Shropshire, England (4 fig., 2 tab.). No. **28**, 1981; p. 47–56.
- GOŹDZIK, J. S.: A permafrost evolution and its impact on some depositional conditions between 20 and 10 ka in Poland (5 fig., 3 phot.). No. **34**, 1995; p. 53–72
- GOŹDZIK, J. S.: Etudes des fentes de gel en Pologne Centrale (11 fig, 7 phot.). No. **33**, 1994; p. 49–78.
- GOŹDZIK, J. S.: Structures de fentes à remplissage primaire sableux du Vistulien en Pologne et leur importance paléogéographique (10 fig., 2 phot.). No. **31**, 1986; p. 71–105.
- GOŹDZIK, J. S., MARUSZCZAK, H.: Evidence of strong aeolian abrasion in fluvial deposits immediately before the Odrian ice advance in an area of the Middle Vistula river (5 fig., 1 tab.). No. **37**, 1998; p. 101–113.
- GRIMBÉRIEUX, J.: Asymmetrical valleys of periglacial origin in south-eastern Hesbaye, Belgium (3 fig., 1 tab.). No. **29**, 1982; p. 151–162
- GRUBB, A. M. and BUNTING, B. T.: Micromorphological studies of soil tonguing phenomena in the Burford loam, southern Ontario, Canada (5 fig., 9 phot., 1 tab.). No. **26**, 1976; p. 237–252.
- GRYLEWICZ, E.: see DĄBSKI, M., GRYLEWICZ, E.: No. **37**, 1998; p. 19–34.
- GULLENTOPS, F., PAULISSEN, E.: The drop soil of the Eisdén type (1 fig, 2 phot.). No. **27**, 1978; p. 105–115.
- GULLENTOPS, F., PAULISSEN, E., VANDENBERGHE, J.: Fossil periglacial phenomena in NE Belgium (7 fig.). No. **28**, 1981; p. 345–365.
- HAESAERTS, P., VAN VLIET-LANOË, B.: Phénomènes périglaciaires et sols fossiles observés à Maisières-Canal, à Harmignies et à Roucourt (13 fig.). No. **28**, 1981; p. 291–324.
- HARRIS, C.: Microstructures in solifluction sediments from South Wales and North Norway (4 fig., 3 phot.). No. **28**, 1981; p. 221–226.
- HARRIS, S. A.: A Genetic classification of the palsa-like mounds in western Canada (9 fig., 2 phot.). No. **37**, 1998; p. 115–130.
- HARRIS, S. A.: Climatic relationships of permafrost zones in areas of low winter snow-cover (10 fig.). No. **28**, 1981; p. 227–240.
- HARRIS, S. A.: Distribution and zonation of permafrost along the eastern ranges of the Cordillera of North America (9 fig.). No. **31**, 1986; p. 107–118.
- HARRIS, S. A.: Distribution of zonal permafrost landforms with freezing and thawing indices (13 fig.). No. **29**, 1982; p. 163–182.
- HARRIS, S. A.: Heat transfer processes at the lower limit of alpine permafrost, Marmot Basin, Jasper National Park, Canada (9 fig., 2 phot., 2 tab.). No. **38**, 1999; p. 73–93.

- HARRIS, S. A.: Relict late Quaternary permafrost on a former nunatak at Plateau Mountain, S.W. Alberta, Canada (Reliktowa późnoczwartorzędowa zmarzlina na Plateau Mountain, S.W. Alberta, Kanada) (14 fig., 1 tab.). No. **36**, 1997; p. 47–72.
- HARRIS, S. A.: see WOUDSMA, C. G., JENSEN, J. F. N., HARRIS, S. A.: No. **39**, 2000; p. 83–94.
- HARRIS, S.: see PISSART A., HARRIS, S., PRICK, A., VAN VLIET-LANOË, B.: No. **37**, 1998; p. 141–154.
- HEYSE, I.: Fossil periglacial remnants in the Beernem Mouton excavation in Flanders (Belgium) (1 fig., 14 phot., 1 tab.). No. **39**, 2000; p. 53–67.
- HIGASHI, A.: Research Laboratory, Department of Applied Physics, Hokkaido University, Sapporo, Japan. No. **26**, 1976; p. 114–117.
- HOARE, P. G. and MCCABE, A. M.: The periglacial record in east-central Ireland (3 figs., 6 phot. 2 tab.). No. **28**, 1981; p. 57–78.
- HOPPE, G.: JAN DYLIK – leading periglacial researcher and an internationalist (2 fig., 1 phot.). No. **37**, 1998; p. 131.
- ICHIM, I.: Les problemes de pergélisol en Roumanie (2 fig., 2 phot.). No. **28**, 1981; p. 268–276.
- Index of papers to *Biuletyn Peryglacjalny*, Nos. **25–39**, (*Dutkiewicz L.*), No. **39**, 2000; p. 131–146.
- JAHN, A.: Contemporaneous geomorphological processes in Longyeardalen, Vestspitsbergen (Svalbard) (8 fig., 14 phot.). No. **26**, 1976; p. 253–268.
- JAHN, A.: Fourth International Conference on Permafrost, Fairbanks, 18–22, July 1983 (1 phot.). No. **31**, 1986; p. 119–121.
- JAHN, A.: Remarks on the origin of palsa frost mounds (1 fig., 6 phot.). No. **31**, 1986; p. 123–130.
- JAHN, A. (rev.): *J. C. F. Tedrow*: Soils of the polar landscapes. No. **27**, 1978; p. 185–187.
- JAHN, A., SIEDLECKI, S.: Periglacial phenomena on the Varanger Peninsula (Norway) (15 fig., 21 phot.). No. **29**, 1982; p. 25–52.
- JENSEN, J. F. N.: see WOUDSMA, C. G., JENSEN, J. F. N., HARRIS, S. A.: No. **39**, 2000; p. 83–94.
- JOURNAUX, A.: Alternances du ruissellement et de la solifluction dans les milieux périglaciaires: exemples Canadiens et expérimentations (1 fig., 8 phot.) No. **26**, 1976; p. 269–273.
- JOURNAUX, A.: Centre National de la Recherche Scientifique, Centre de Géomorphologie à Caen. No. **26**, 1976; p. 128–133.
- JOURNAUX, A.: Formes d'érosion d'origine périglaciaire en Provence (6 fig.). No. **31**, 1986; p. 131–139.
- JUVIGNE, E.: see PISSART, A., BASTIN, B., JUVIGNE, E.: No. **28**, 1981; p. 333–339.

- KAMIŃSKA, R., KONECKA-BETLEY, K., MYCIELSKA-DOWGIAŁŁO, E.: The Liszyno dune in the Vistula valley (east of Płock) (6 fig., 3 phot., 3 tab.). No. **31**, 1986; p. 141–162.
- KARTE, J.: Development and present state of German periglacial research in Arctic and alpine environments (1 tab.). No. **29**, 1982; p. 183–201.
- Karte, J., Liedtke, H.: The theoretical and practical definition of the term “periglacial” in its geographical and geological meaning (3 fig.). No. **28**, 1981; p. 123–135.
- KARTE, J., LIEDTKE, H.: Propositions for the legend of a map showing the distribution of fossil periglacial phenomena as evidence for permafrost at the maximum of the last glaciation (1 fig.). No. **30**, 1986; p. 61–66.
- KASSE, C.: Can involutions be used as palaeotemperature indicators? (4 phot., 1 tab.). No. **38**, 1999; p. 95–109.
- KĘDZIA, S.: see MOŚCICKI, J. W., KĘDZIA, S.: No. **39**, 2000; p. 69–81.
- KLATKOWA, H.: Evaluation du rôle de l'agent périglaciaire en Pologne Centrale (9 fig., 1 tab.). No. **33**, 1994; p. 79–106.
- KLATKOWA, H.: JAN DYLIK, chercheur et savant. No. **37**, 1998; p. I–VI.
- KLATKOWA, H.: Symptoms of the permafrost presence in Middle Poland during the last 150,000 years (Przejawy obecności wieloletniej zmarzliny w Środkowej Polsce w ciągu ostatnich 150 tys. lat) (10 fig., 13 phot.). No. **35**, 1996; p. 45–86.
- KOLSTRUP, E.: A re-evaluation of the use of relict periglacial structures to derive quantitative palaeoclimatic values (10 fig., 1 phot.). No. **38**, 1999; p. 111–126.
- KONECKA-BETLEY, K.: see KAMIŃSKA, R., KONECKA-BETLEY, K., MYCIELSKA-DOWGIAŁŁO, E.: No. **31**, 1986; p. 141–162.
- KOROTAJ, M., MYCIELSKA-DOWGIAŁŁO, E.: Wurmien periglacial processes on the Kolno Plateau in the light of sedimentologic investigations with the use of the scanning electron microscope (11 fig., 32 phot., 1 tab.). No. **29**, 1982; p. 53–76.
- KOTARBA, A.: see BAUMGART-KOTARBA, M., KOTARBA, A.: No. **34**, 1995; p. 37–51.
- KOZARSKI, S.: Early Vistulian permafrost occurrence in north-west Poland (2 fig., 4 phot.). No. **31**, 1986; p. 163–170.
- KOZARSKI, S.: The periglacial impact on the deglaciation area of northern Poland after 20 kyr BP (6 fig., 4 tab.). No. **34**, 1995; p. 73–102.
- KOZŁOWSKI, S. K.: see MADEYSKA, T., KOZŁOWSKI, S. K.: No. **34**, 1995; p. 103–123.
- KRAJEWSKI, K.: On eolian processes near H. Arctowski station, King George Island, South Shetlands (2 fig., 11 phot., 4 tab.). No. **31**, 1986; p. 171–181.

- KRUG, E. C.: see TEDROW, J. C. F., KRUG, E. C.: No. **29**, 1982; p. 143–146.
- KRYSIK, S.: The influence of periglacial cover deposits upon aeration and moisture conditions of geocomplexes (Wpływ peryglacjalnych osadów pokrywowych na warunki powietrzne i wilgotnościowe geokompleksów) (2 fig. 7 tab.). No **35**, 1996; p. 87–120.
- KUHLE, M.: Über Solifluktion und Strukturböden in S.E.-Iranischen Hochgebirgen (11phot.). No. **27**, 1978; p. 117–131.
- LADANYI, B.: Université de Montréal, Ecole Polytechnique, Centre d'ingénierie Nordique. No. **26**, 1976; p. 153–158.
- LANGOHR, R., VAN VLIET, B.: Properties and distribution of Vistulian permafrost traces in today surface soils of Belgium, with special reference to the data provided by the Soil Survey (1 fig, 2 tab.). No. **28**, 1981; p. 137–148.
- LANGOHR, R., VERMEIRE, R.: "Well drained soils with a degraded" Bt horizon in loess deposits in Belgium; relationship with paleoperiglacial processes (3 fig.). No. **29**, 1982; p. 203–212.
- LAUTRIDOU, J.-P.: La contribution des expériences en laboratoire aux recherches périglaciaires: histoire, acquis et perspectives. No. **38**, 1999; p. 23–26.
- LAUTRIDOU, J. P.: La fraction fine des débris de gélifraction expérimentale (3 fig.). No. **29**, 1982; p. 77–85.
- LAUTRIDOU, J.-P.: see COUTARD, J.-P., LAUTRIDOU, J.-P., OZOUF, J. C.: No. **39**, 2000; p. 7–40.
- LAUTRIDOU, J.-P.: see FRENCH, H. M., LAUTRIDOU, J.-P.: No. **39**, 2000; p. 41–52.
- LAUTRIDOU, J.-P. GIRESE, P.: Genèse et signification paléoclimatique des limons à doublets de Normandie (4 figs, 1 phot.). No. **28**, 1981; p. 149–161.
- LAUTRIDOU, J.-P., OZOUF, J.-C., VAN VLIET-LANOË, B., COUTARD, J.-P.: A propos de deux thèmes de recherche abordés au centre de géomorphologie du C.N.R.S (2 fig.). No. **31**, 1986; p. 183–198.
- LAUTRIDOU, J. P., SOMMÉ, J.: L'extension des niveaux-repères périglaciaires à grandes fentes de gel de la stratigraphie du Pléistocène récent dans la France du Nord-Ouest (2 figs). No. **28**, 1981; p. 179–185.
- LEWKOWICZ, A. G.: see FRENCH, H. M., and LEWKOWICZ, A. G.: No. **28**, 1981; p. 33–45.
- LIEDTKE, H.: see KARTE, J., LIEDTKE, H.: No. **28**, 1981; p. 123–135.
- LIETDKE, H.: see KARTE, J., LIETDKE, H.: No. **30**, 1986; p. 61–66.
- LLIBOUTRY, L.: Laboratoire de Glaciologie du CNRS à Grenoble. No. **26**, 1976; p. 137.

- MAARLEVELD, G. C.: Periglacial phenomena and the mean annual temperature during the last glacial time in the Netherlands (10 fig., 2 tab.). No. **26**, 1976; p. 79–78.
- MAARLEVELD, G. C.: Some periglacial features in the E- and Central Netherlands. No. **28**, 1981; p. 341–344.
- MACKAY, J. R.: Contemporary pingos: A discussion (3 figs, 6 phot.). No. **27**, 1978; p. 133–154.
- MADEYSKA, T., KOZŁOWSKI, S. K.: Human settlement and paleoenvironmental changes in Poland 20,000–8,000 years ago (8 fig., 2 tab.). No. **34**, 1995; p. 103–123.
- MAIZELS, J. K.: Frequency of relic frost-fissure structures and prediction of polygon pattern. A quantitative approach (10 fig., 2 phot., 2 tab.). No. **30**, 1986; p. 67–89.
- Manikowska, B.: Etat des études des processus éoliens dans la région de Łódź (Pologne Centrale) (4 fig., 10 phot., 1 tab.). No. **33**, 1994; p. 107–131.
- MANIKOWSKA, B.: Aeolian activity differentiation in the area of Poland during the period 20–8 ka BP (4 fig., 20 phot., 2 tab.). No. **34**, 1995; p. 125–165.
- MANIKOWSKA, B.: Evolution de la dépression fermée à Kochanów, Pologne Centrale (Ewolucja postwarciańskiego zagłębienia bezodpływowego w Kochanowie, Polska Środkowa) (6 fig., 2 phot., 2 tab.). No. **36**, 1997; p. 73–103.
- MANIKOWSKA, B.: Sol fossile de la transition pléistocène–holocene dans les dunes continentales de la Pologne Centrale (2 fig., 5 phot., 1 tab.). No. **31**, 1986; p. 199–211.
- MANIKOWSKA, B.: Upfreezing of stones in boulder clay of Central and North Poland (10 fig., 6 phot, 2 tab.). No. **29**, 1982; p. 87–115.
- MANIKOWSKA, B., STARKEL, L.: The Pleistocene-Holocene transition (20–8 ka BP) in the area of Poland. No. **34**, 1995; p. I–II.
- MARSHALL, P. W.: The formation and age of ice in caves. No. **28**, 1981; p. 79–84.
- MARUSZCZAK, H.: Altitudinal morphoclimatic differentiation of areas of younger loess accumulation in Europe (Piętrowe różnicowanie morfoklimatyczne obszarów akumulacyjnych lessów młodszych w Europie) (4 fig.). No. **35**, 1996; p. 121–152.
- MARUSZCZAK, H.: Differentiation of the intensity of accumulation of the Vistulian loesses in Poland and Hungary (1 fig.). No. **31**, 1986; p. 213–221.
- MARUSZCZAK, H.: see GOŹDZIK, J. S., MARUSZCZAK, H.: No. **37**, 1998; p. 101–113.

- MCARTHUR, J. L.: Periglacial slope planation in the southern Pennines, England (3 fig., 2 phot. 1 tab.) No. **28**, 1981; p. 85–97.
- MCCABE, A. M.: see Hoare, P. G. and McCabe, A. M.: No. **28**, 1981; p. 57–78.
- MILLS, H. H.: Piedmont-cove deposits of Dellwood quadrangle, Great Smoky Mountains, North Carolina, U.S.A.; Some aspects of sedimentology and weathering (5 fig., 3 phot., 2 tab.). No. **30**, 1986; p. 91–109.
- MOJSKI, J. E.: An outline of the evolution of the Southern Baltic area at the end of the Last Glaciation and beginning of the Holocene (3 fig.). No. **34**, 1995; p. 167–176.
- MOŚCICKI, J. W., KĘDZIA, S.: Comments and observations on the application of resistivity sounding in research of permafrost (6 fig.). No. **39**, 2000; p. 69–81.
- MOTTERSHEAD, N.: Quantitative aspects of periglacial slope deposits in southwest England, (* fig., * phot.). No. **25**, 1976; p. 35–57.
- MOTTERSHEAD, N.: Some sources of systematic variation in the main head deposits of southwest England (4 fig., 4 tab.). No. **29**, 1982; p. 117–128.
- MYCIELSKA-DOWGIAŁŁO, E.: see KAMIŃSKA, R., KONECKA-BETLEY, K., MYCIELSKA-DOWGIAŁŁO, E.: No. **31**, 1986; p. 141–162.
- MYCIELSKA-DOWGIAŁŁO, E.: see KOROTAJ, M., MYCIELSKA-DOWGIAŁŁO, E.: No. **29**, 1982; p. 53–76.
- NOWACZYK, B.: Dowoo – a new type of earth mounds in continental permafrost domain (Central Mongolia) (6 fig., 6 phot.). No. **30**, 1986; p. 111–123.
- ONO, Y.: Chronologie et signification paléoclimatique des phénomènes périglaciaires fossiles, Hokkaido Est, Japon (2 fig., 2 phot.). No. **28**, 1981; p. 197–207.
- OZER, A., ULZEGA, A.: Sur la répartition des éboulis ordonnés en Sardaigne (3 fig., 2 phot.). No. **28**, 1981; p. 259–265.
- OZOUF, J. C.: see COUTARD, J.-P., LAUTRIDOU, J.-P., OZOUF, J.-C.: No. **39**, 2000; p. 7–40.
- OZOUF, J.-C.: see LAUTRIDOU, J.-P., OZOUF, J.-C., VAN VLIET-LANOË, B., COUTARD, J.-P.: No. **31**, 1986; p. 183–198.
- PASZKIEWICZ, Z. S.: Two-storeyed frost wedges in the vicinity of Yaroslavl, U.S.S.R. (1 fig., 4 phot.). No. **28**, 1981; p. 99–102.
- PASZKIEWICZ, Z. S. (rev.): *J. G. Avenarius, M. N., Muratova, I. I. Spaskaya: Paleogeografia Severnoj Evrazii v pozdnem plejstocene-holocenie i geografičeskij prognoz (Paléogéographie de l'Euro-Asie du nord au pléistocène et lamprévision géographique, en russe)*, No. **29**, 1982; p. 275–277.
- PASZKIEWICZ, Z. S., (rev.): *N. N. Romanovskij: Formirovanie poligonalno-zilnykh struktur (Developpment des structures polygonales, en russe)*. No. **29**, 1982; p. 278–281.
- PAULISSEN, E.: see Gullentops, F., Paulissen, E.: No. **27**, 1978; p. 105–115.

- PAULISSEN, E.: see GULLENTOPS, F., PAULISSEN, E., VANDENBERGHE, J.: No. **28**, 1981; p. 345–365.
- PAZDUR, A.: see GĘBICA, P., SZCZEPANEK, K., PAZDUR, A., SAŃKO, A. F.: No. **37**, 1998; p. 81–99.
- PECH, P.: Le périglaciaire de haute montagne dans l'Ossola (Alpes Italiennes) (8 fig., 1 tab.). No. **33**, 1994; p. 133–142.
- PÉWÉ, T. L.: Permafrost advances: report of the Fourth International Conference on Permafrost (3 fig., 4 phot.). No. **31**, 1986; p. 223–233.
- PIGGOTT, N. R.: see GOUDIE, S., and PIGGOTT, N. R.: No. **28**, 1981; p. 47–56.
- PISSART, A.: Compte rendu du Symposium "Periglaciaire et Paléogéographie du Quaternaire", Belgique–Pays-Bas. No. **28**, 1981; p. 119–122.
- PISSART, A.: Déformation de cylindres de limon entourés de graviers sous l'action d'alternances gel/dégel. Expériences sur l'origine des cryoturbations (6 fig., 1 phot.) No. **29**, 1982; p. 219–230.
- PISSART, A.: Etudes d'une coupe dégagée dans les loess d'Ans (pres de Liège). Structures périglaciaires et fentes de gel (3 fig.). No. **28**, 1981; p. 327–332.
- PISSART, A.: Introductory. No. **26**, 1976; p. 113.
- PISSART, A.: Sols à buttes, cercles non triés de île de Banks (Canada, N.W.T.) (5 fig., 4 phot.), No. **26**, 1976; p. 275–285.
- PISSART, A.: The UGI Periglacial Commission and its role from 1949 until 1980. No. **38**, 1999; p. 7–12.
- PISSART, A.: Université de Liege. No. **26**, 1976; p. 118.
- PISSART, A., WATSON, E., Hommage au Professeur JAN DYLIK. No. **26**, 1976; p. 15–16.
- POPOV, A. I.: Cryolithogenesis, the composition and structure of frozen rocks, and ground ice. No. **27**, 1978; p. 155–170.
- PISSART, A., BASTIN, B., JUVIGNE, E.: Les traces de buttes périglaciaires (pingos? paises?) des Hautes Fagnes (2 fig.). No. **28**, 1981; p. 333–339.
- PISSART, A., HARRIS, S., PRICK, A., VAN VLIET-LANOË, B.: La signification paléoclimatique des lithalses (paises minerales) (2 phot.). No. **37**, 1998; p. 141–154.
- PRICK, A.: see PISSART A., HARRIS, S., PRICK, A., VAN VLIET-LANOË, B.: No. **37**, 1998; p. 141–154.
- RAPP, A.: Memories from the 1960's: Jan Dylik and periglacial research in Spitsbergen and Lappland (1 fig., 3 phot.). No. **37**, 1998; p. 155–165.
- RAYNAL, R.: Jan Dylik, le savant, le périglacialiste et l'homme, No. **26**, 1976; p. 5–10.
- RAYNAL, R.: Repartition géographique des héritages périglaciaires quaternaires au Portugal et à Madère. No. **31**, 1986; p. 235–247.

- RAYNAL, R.: Spécificités régionales du périglaciaire d'altitude dans le domaine Méditerranéen. No. **33**, 1994; p. 143–152.
- Raynal, L. R., Cailleux, A.: Proposition pour une recherche sur la régionalité des phénomènes périglaciaires, (1 tab.). No. **25**, 1976; p. 93–98.
- Raynal, R.: André Cailleux. No. **32**, 1992; p. 5–6.
- RĄCZKOWSKA, Z.: Slope dynamics in periglacial zone of the Tatra Mountains (4 fig., 1 tab.). No. **38**, 1999; p. 127–133.
- REPELEWSKA-PEKAŁOWA, J.: Development of relief affected by contemporary geomorphological processes in NW part of Wedel Jarlsberg Land (Bellsund, Spitsbergen, Svalbard) (Rozwój rzeźby pod wpływem współczesnych procesów morfogenetycznych na obszarze NW części Ziemi Wedela Jarlsberga, Bellsund, Spitsbergen, Svalbard) (6 fig., 12 phot., 2 tab.). No. **35**, 1996; p. 153–195.
- RIEZEBOS, P. A. and SLOTBOOM, R. T.: Micro-pingos on a bridge in Amsterdam (3 figs., 3 phot.). No. **28**, 1981; p. 115–118.
- ROMANOVSKIJ, N. N.: The scheme of correlation of polygonal wedge structures (2 fig.). No. **26**, 1976; 287–294.
- ROMANOVSKIJ, N. N., TURIN, A. I.: Kurums (5 phot.). No. **31**, 1986; p. 249–259.
- RÓŻYCKI, S. Z.: Structures pseudopériglaciaires au Sahara Central, (8 phot.). No. **30**, 1986; p. 125–126.
- SADŁOWSKA, A.: see DYLIKOWA, A., SADŁOWSKA, A. No. **27**, 1978; p. 179–180.
- SAŃKO, A. F.: see GĘBICA, P., SZCZEPANEK, K., PAZDUR, A., SAŃKO, A. F.: No. **37**, 1998; p. 81–99.
- SEKYRA, J.: Weathering of a Tassili Silurian Sandstone, Central Sahara (1 fig.) No. **26**, 1976; p. 295–297.
- SEPPÄLÄ, M.: Present-day periglacial phenomena in northern Finland (8 fig., 5 phot.). No. **29**, 1982; p. 231–244.
- SEPPÄLÄ, M.: Seasonal thawing of a palsa at Enontekiö, Finnish Lapland, in 1974 (4 fig., 3 phot.). No. **26**, 1976; p. 17–24.
- SEPPÄLÄ, M.: see ÅHMAN, R., SEPPÄLÄ, M., SVENSSON, H.: No. **29**, 1982; p. 261–273.
- SIEDLECKI, S.: see JAHN, A., SIEDLECKI, S.: No. **29**, 1982; p. 25–52.
- SLOTBOOM, R. T.: see RIEZEBOS, P. A. and SLOTBOOM, R. T.: No. **28**, 1981; p. 115–118.
- SOMME, J.: see LAUTRIDOU, J. P., SOMME, J.: No. **28**, 1981; p. 179–185.
- STARKEL, L.: The role of the Vistulian and Holocene in transformation of the relief of Poland (3 fig.). No. **31**, 1986; p. 261–273.
- Starkel, L.: Polish roots of periglacial research. No. **38**, 1999; p. 37–41.

- STARKEL, L., GĘBICA, P.: Evolution of river valleys in Southern Poland during the Pleistocene–Holocene transition (5 fig., 1 tab.). No. **34**, 1995; p. 177–190.
- Starkel, L.: see MANIKOWSKA, B., STARKEL, L.: No. **34**, 1995; p. I–II.
- SVENSSON, H.: Age determination of fossil ice-wedge polygons in Nordic areas (2 fig., 2 phot.). No. **29**, 1982; p. 245–252.
- SVENSSON, H.: Pingo problems in the Scandinavian countries. No. **26**, 1976; p. 33–40.
- SVENSSON, H.: see ÅHMAN, R., SEPPÄLÄ, M., SVENSSON, H.: No. **29**, 1982; p. 261–273.
- Svensson, H.: The use of aerial photographs and remote sensing techniques in research on fossil periglacial features. No. **29**, 1982; p. 129–138.
- SVENSSON, H.: Valley formation initiated by ice wedge polygonal nets in terrace surfaces (7 phot.). No. **29**, 1982; p. 139–142.
- SZCZEPANEK, K.: see GĘBICA, P., SZCZEPANEK, K., PAZDUR, A., SAŃKO, A. F.: No. **37**, 1998; p. 81–99.
- SZÉKELY, A.: Types of periglacial forms and processes in the Hungarian Mountains in relation to rock differences (1 fig.). No. **29**, 1982; p. 253–259.
- ŚNIESZKO, Z., DWUCET, K.: The evolution of loess covers in Poland between 20 and 8 ka BP (6 fig.). No. **34**, 1995; p. 191–208.
- ŚNIESZKO, Z.: see DWUCET, K., ŚNIESZKO, Z.: No. **35**, 1996; p. 7–44.
- Środoń, A.: Late-Pleistocene flora and mammoth skeleton from Rzochów near Mielec (S. Poland) (2 fig., 1 tab.). No. **26**, 1976; p. 299–309.
- Table of contents of *Biuletyn Peryglacjalny*, Nos. **25–39**, edited in the years 1976–2000, (*Dutkiewicz L.*), No. **39**, 2000; p. 115–130.
- TAKASHI, T.: Seiken Reiki Co., Japan (1 fig.). No. **26**, 1976; p. 162–165.
- TEDROW, J. C. F.: Factors affecting polar desert soil development in the High Arctic (1 fig., 6 phot.). No. **31**, 1986; p. 275–282.
- TEDROW, J. C. F.: see WALTON, G. F., TEDROW, J. C. F.: No. **30**, 1986; p. 127–139.
- TEDROW, J. C. F., KRUG, E. C.: Weathered limestone accumulations in the high Arctic (1 fig., 4 phot., 1 tab.). No. **29**, 1982; p. 143–146.
- TRICART, J.: Quelques difficultés méthodologiques présentées par les reconstitutions paléoclimatiques du Quaternaire. No. **31**, 1986; p. 283–291.
- TUFNELL, L.: Ploughing block movements on the Moor House Reserve (England) 1965–75. (2 fig., 1 tab.). No. **26**, 1976; p. 311–317.
- TURKOWSKA, K.: La morphogénese périglaciaire dans les vallées fluviales du Plateau de Łódź et sa différenciation dans le temps et dans l'espace (3 fig., 1 tab.). No. **33**, 1994; p. 153–164.

- TURKOWSKA, K.: Recognition of valleys evolution during the Pleistocene–Holocene transition in non-glaciated regions of Polish Lowland (2 fig., 1 tab.). No. **34**, 1995; p. 209–227.
- TURKOWSKA, K.: Some reflections on the Łódź contribution to periglacial morphogeny in middle Poland (4 fig., 8 phot.). No. **38**, 1999; p. 43–61.
- TURKOWSKA, K., WIECZORKOWSKA, J.: L'influence du relief sur le caractère des dépôts de versant périglaciaire dans la région de Łódź (15 phot.). No. **31**, 1986; p. 293–309.
- ULZEGA, A.: see OZER, A., ULZEGA, A.: No. **28**, 1981; p. 259–265.
- VINCENT, P. J. and CLARKE, J. V.: A note on the detection of slip-planes in terresectes, (2 phot.). No. **29**, 1982; p. 147–149.
- VAN VLIET-LANOË, B.: Comparison between cryogenic and co-seismic or neotectonic deformations: implications for the European permafrost (6 fig.) No. **38**, 1999; p. 135–150.
- VAN VLIET-LANOË, B.: Histoire et dynamique du périgelisol européen au Weichselien (3 fig.). No. **33**, 1994; p. 165–176.
- VAN VLIET-LANOË, B.: Traces de ségrégation de glace en lentilles associées aux sols et phénomènes périglaciaires fossiles (2 fig., 2 phot., 3 tab.). No. **26**, 1976; p. 41–55.
- VAN VLIET-LANOË, B., FLAGEOLLET, J. C.: Traces d'activité périglaciaire dans les Vosges Moyennes (3 fig.). No. **28**, 1981; p. 209–219.
- VAN VLIET-LANOË, B.: see HAESAERTS, P., VAN VLIET-LANOË, B.: No. **28**, 1981; p. 291–324.
- VAN VLIET, B.: see LANGOHR, R., VAN VLIET, B.: No. **29**, 1981; p. 137–148.
- VAN VLIET-LANOË, see B.: LAUTRIDOU, J.-P., OZOUF, J.-C., VAN VLIET-LANOË, B., COUTARD, J.-P.: No. **31**, 1986; p. 183–198.
- VAN VLIET-LANOË, B.: see PISSART A., HARRIS, S., PRICK, A., VAN VLIET-LANOË, B.: No. **37**, 1998; p. 141–154.
- VANDENBERGHE, J.: Gullentops, F., Paulissen, E., Vandenberghe, J.: No. **28**, 1981; p. 345–365.
- VANDENBERGHE, J.: Periglacial research: jumping between process and environment. No. **38**, 1999; p. 27–36.
- VANMAERCKE-GOTTIN, M. C.: Some geomorphological implications of the cryo-aeolian deposits in western Belgium (5 fig., 1 tab.). No. **28**, 1981; p. 103–114.
- VAŠKOVSKÁ, E.: see VAŠKOVSKÝ, I., VAŠKOVSKÁ, E.: No. **28**, 1981; p. 249–258.
- VAŠKOVSKÝ, I., VAŠKOVSKÁ, E.: The development of the natural landscape in Slovakia during the Quaternary. No. **28**, 1981; p. 249–258.
- VERMEIRE, R.: see LANGOHR, R., VERMEIRE, R.: No. **29**, 1982; p. 203–212.
- VINCENT, P. J.: Some periglacial deposits near Aberystwyth, Wales, as seen with a Scanning Electron Microscope, (...). No. **25**, 1976; p. 59–64.

- VINCENT, P. J., CLARKE: The terracette enigma – A review, (...). No. **25**, p. 66–77.
- VINCENT, P. J., CLARKE, J. V.: A note on the detection of slip-planes in terracettes (2 phot.). No. **29**, 1982; p. 147–149.
- WALTON, G. F., TEDROW, J. C. F.: A soil pattern of Central Bathurst Island, Queen Elizabeth Island, Canada (4 figs, 8 phot., 2 tab.). No. **30**, 1986; p. 127–139.
- WARREN, W. P.: Features indicative of prolonged and severe periglacial activity in Ireland, with particular reference to the South-West (2 fig.). No. **28**, 1981; p. 241–248.
- WASHBURN, A. L.: University of Washington, Quaternary Research Center, Periglacial Research Laboratory. No. **26**, 1976; p. 146–147.
- WATSON, E.: Characteristics of ice-wedge casts in West Central Wales (5 fig., 6 phot. 2 tab.). No. **28**, 1981; p. 163–177.
- WATSON, E.: Field excursions in the Aberystwyth region, 1–10 July 1975 (13 fig., 17 phot. 3 tab). No. **26**, 1976; p. 79–112.
- WATSON, E.: see PISSART, A., WATSON, E.: No. **26**, 1976; p. 15–16.
- WATTS, S. H.: Intensity versus duration of bedrock weathering under periglacial conditions in high arctic Canada (1 fig., 5 phot.). No. **30**, 1986; p. 141–152.
- WIECZORKOWSKA, J.: Profils et dépôts de versants aux environs de Łódź (4 fig.). No. **33**, 1994; p. 177– 187.
- WOJTANOWICZ, J.: The origin and age of silt deposits in the Sandomierz Basin (6 fig., 6 phot.). No. **37**, 1998; p. 167–178.
- WORSLEY, P.: Ice-wedge cast investigations in the British Isles 1849–1949 (7 fig.). No. **38**, 1999; p. 151–162.
- WOUDSMA, C. G., JENSEN, J. F. N., HARRIS, S. A.: Modelling permafrost distribution in the Canadian Rocky Mountains: A GIS-based approach (8 fig., 2 phot.). No. **39**, 2000; p. 83–94.
- YONG, R. N.: Mc Gill University, Soil Mechanics Research Laboratory No. **26**, 1976; p. 159–161.
- ZAGÓRSKI, P.: see GAWRYSIAK, L., ZAGÓRSKI, P.: No. **37**, 1998; p. 69–79.
- ŻURAWEK, R.: Frost weathering of rock types of the Ślęża Massif, SW Poland. An experimental Approach (6 fig., 4 phot., 2 tab.). No. **39**, 2000; p. 95–113.
- ŻURAWEK, R.: Relict rock glaciers of the Central European Mid-Mountains (4 fig., 9 phot., 1 tab.). No. **38**, 1999; p. 163–192.